r.






Fig-1A



<u>|Fig-1B</u>


ل

Continuation Application
A SIGNAL PROCESSING METHOD AND DEVICE
FOR SIGNAL-TO-NOISE IMPROVEMENT
Yoram Wasserman 02 647 664



3/12

 $\Gamma$ 






Fig-2A





Fig-2B







Fig-3B







Fig-4B

נ







Fig-5B




J


A SIGNAL PROCESSING METHOD AND DEVICE FOR SIGNAL-TO-NOISE IMPROVEMENT Yoram Wasserman Attorney Docket # 02,647-664

Γ

7/12



IFig−6B








Fig-7B


L



5 X10<sup>-3</sup>
0 - 5 - 10 - 15 - 10 - 2 4 6 8 10 12 14 16 t (SEC)

<u> Fig-8B</u>





Fig−9B




Fig-10

┙

Continuation Application A SIGNAL PROCESSING METHOD AND DEVICE FOR SIGNAL-TO-NOISE IMPROVEMENT Yoram Wasserman Attorney Docket # 02,647-664

10/12





Fig-11



J





Fig-13A



*I*Fig-13B






Fig-14A

J


Г



<u> Fig-14B</u>



<u>|Fig-15A</u>



<u>|Fig-15B</u>

١